

# DyKEMA

DYKEMA GOSSETT PLLC  
FRANKLIN SQUARE, THIRD FLOOR WEST  
1300 I STREET N.W.  
WASHINGTON, DC 20005  
WWW.DYKEMA.COM

RECEIVED  
CENTRAL FAX CENTER

NOV 27 2006

**BEST AVAILABLE COPY**

DATE: November 27, 2006 TOTAL PAGES INCLUDING COVER: 4  
SENDER'S NAME: Mary Stout SENDER'S FAX: (202) 906-8669  
ATTORNEY NAME: John P. Deluca LOCATION: Washington D.C.  
ATTORNEY'S E-MAIL: jdeluca@dykema.com  
ATTORNEY'S PHONE: (202) 906-8626

NAME	FAX NUMBER	CONFIRM NUMBER
TO: USPTO	571-273-8300	

**ADDITIONAL INFORMATION:**

**The following concerns Serial No. 10/528,576**

**If you have problems receiving this message,  
please call: (202) 906-8651**

**EMPLOYEE NO. 5011  
CLIENT NO. 066347  
MATTER NO. 0120**

\*\*\*\*\*  
To comply with U.S. Treasury regulations, we advise you that any discussion of Federal tax issues in this communication was not intended or written to be used, and cannot be used, by any person (i) for the purpose of avoiding penalties that may be imposed by the Internal Revenue Service, or (ii) to promote, market or recommend to another party any matter addressed herein.  
\*\*\*\*\*

This message is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable laws. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return original message to us at the below address via the U.S. Postal Service. Thank you

CALIFORNIA | ILLINOIS | MICHIGAN | WASHINGTON D.C.

RECEIVED  
CENTRAL FAX CENTER

NOV 27 2006

BEST AVAILABLE COPY

66347-120-2

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

John Matthew SOMERVILLE

Serial No.: 10/528,576

Filed: October 6, 2005

FLUID ROUTING DEVICE

) PATENT

)

) GROUP: 3753

)

) EXAMINER: A. Michael Chambers

)

) CUSTOMER NO.: 25269

)

) CONFIRMATION NO.: 8319

\*\*\*\*\*

AMENDMENT

Mail Stop PCT  
Attention: PCT Legal  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

November 27, 2006

Sir:

In response to the Notice of Drawing Inconsistency with Specification  
of November 15, 2006, please amend the application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Remarks** begin on page 3 of this paper.